

臺北市立永吉國民中學飲水設備維護記錄位置表

□巡檢保養 □濾芯更換

113 年 9 月 23 日

| 編號 | 安裝位置 |    |            | 廠牌  | 型號        | 電壓 | 年份 | 機號 | 濾芯規格     |         |         |         |         | 機台<br>巡檢 | 漏電<br>檢測 | 加熱<br>系統 | 冷卻<br>系統 | 功能<br>操作 | 備註  |
|----|------|----|------------|-----|-----------|----|----|----|----------|---------|---------|---------|---------|----------|----------|----------|----------|----------|-----|
|    |      |    |            |     |           |    |    |    | 濾 芯 規 格  | 第一<br>道 | 第二<br>道 | 第三<br>道 | 第四<br>道 | 第五<br>道  |          |          |          |          |     |
| 1  | 前棟   | 4樓 | 學輔中心(二)前   | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 2  | 前棟   | 4樓 | 導師休息室內     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 3  | 前棟   | 3樓 | 905教室前     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 4  | 後棟   | 3樓 | 705教室前     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 5  | 前棟   | 2樓 | 油印室前       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 6  | 後棟   | 2樓 | 學務處前       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 7  | 前棟   | 1樓 | K書中心(二)外   | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 8  | 後棟   | 4樓 | 803教室前     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 9  | 前棟   | 2樓 | 教務處        | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 10 | 前棟   | 3樓 | 英資辦公室及室教室外 | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 11 | 前棟   | 4樓 | 特教組外       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 12 | 後棟   | 2樓 | 分組4教室前     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 13 | 專科大樓 | 1樓 | 童軍教室       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 14 | 後棟   | 3樓 | 多功能教室1前    | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 15 | 後棟   | 5樓 | 家政及烹飪準備室外  | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 16 | 前棟   | 3樓 | 輔導室外       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 17 | 專科大樓 | 5樓 | 會議廳前       | 賀眾牌 | UW-313    |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        | 備用機 |
| 18 | 專科大樓 | 3樓 | 圖書館前       | 賀眾牌 | UW-313    |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        | 備用機 |
| 19 | 活動中心 | 1樓 | 女廁前        | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 20 | 活動中心 | 2樓 | 女廁前        | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 21 | 活動中心 | 4樓 | 綜合球場       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 22 | 活動中心 | 4樓 | 綜合球場       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 23 | 警衛室  |    | 警衛室內       | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 24 | 專科大樓 | 2樓 | 未來教室(內)    | 賀眾牌 | UW-313    |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        | 備用機 |
| 25 | 前棟   | 1樓 | 分組2教室前     | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 26 | 前棟   | 1樓 | 健康中心內      | 賀眾牌 | UW-30000A |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 27 | 前棟   | 1樓 | 健康中心內      |     |           |    |    |    | UF-18.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        |     |
| 28 | 前棟   | 2樓 | 校長室內       | 賀眾牌 | UW-9505   |    |    |    | UF-61.64 |         |         |         |         |          | ✓        | ✓        | ✓        | ✓        | 備用機 |
| 29 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 30 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 31 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 32 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 33 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 34 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 35 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 36 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 37 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 38 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 39 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |
| 40 |      |    |            |     |           |    |    |    |          |         |         |         |         |          |          |          |          |          |     |

濾芯更換支數: \_\_\_\_\_ 支

巡檢台數: 28 台

服務人員簽章:

吳旭展

承辦人員簽核:

事務黃國峯